




 <https://www.facebook.com/vaxisglobal>

 https://www.instagram.com/vaxis_global

 +86 731 8399 8739

 8F, NO.2, Huachen Century Square, Yuhua District
Changsha City, Hunan Province, China. 410007

 Info@vaxis.cn

VAXIS

WIRELESS VIDEO SYSTEM

ENDLESS POSSIBILITIES



www.vaxisglobal.com


ATOM 600 FOR KOMODO

Way More Than **Video Transmission**

A versatile modular video transmitter integrating wireless transmission and adjustable battery mounting plate.



Signal Amplifier
Extend your RED CONTROL to 600ft



ATOM 500 SDI



SDI/HDMI
Dual Interface



500ft
Transmission Range



App
Monitoring



80ms
Low Latency



500ft Stable Transmission Range

SDI/HDMI Interface on Both Transmitter/Receiver
1080P60 i60 Format Max. Input/Output



VAXIS ATOM 500 HDMI

WWW.VAXIS.CN

ATOM 500 HDMI

VAXIS ATOM 500 HDMI

VAXIS VISION APP

iPhone

iPad

Android

VAXIS STORM 1000S

Built-in high gain antennas, lower damage rate

*TX:SDI input(BNC female)/ SDI loopout/HDMI input
RX:SDI output*2(BNC female) HDMI output*1



Performance improved

350 M Further

Function improved

ARRI 0 S Delay

Structure improved

NO Antenna

STORM 1000S



Direct connection to ARRI/RED Suite

VAXIS STORM 2000

Insert Interface/Heat dissipation Optimization/All-in-one Packaging

*TX: SDI Input&Output (Loop out)/HDMI Input

RX: SDI Output*2/HDMI Output



Best 0s-Latency Choice For Live





Performance improved

1000 M
Further

Function improved

0 S
Faster

Structure improved

40 %
Smaller

VAXIS STORM 3000

up to 3000ft | optional pro model | free to assemble
embedded interface | protected antenna |
integrated mount | more durable



VAXIS STORM 3000 DV TX

*TX:SDI input(BNC female)/ SDI loopout/HDMI input



Quickly Assemble

Compared to traditional wireless transmitter setups, the Storm 3000 DV can be mounted directly on the camera's V-Mount battery connector and provides a V-Mount battery connection to power both the transmitter and camera.



RED GEMINI



ARRI ALEXA MINI



ARRI AMIRA



SONY FS7

Compatible for all Vaxis Storm series receivers



STORM 5000 RX



STORM 3000 RX



STORM 2000 RX



STORM 1000s RX



STORM 072 MONITOR



STORM 058 MONITOR

VAXIS STORM 3000 DG

*TX:SDI input(BNC female)/ SDI loopout/HDMI input
RX:SDI output*2(BNC female) HDMI output*1

Designed specifically for Gold mount users



One transmitter can work with
up to 10 receivers



VAXIS STORM 058 MONITOR



5 inch | IPS Screen | 1500nit Brightness | 1080P Full HD | 300 Meters distance | Dual battery power | 3.5mm Audio Port

High Brightness High Sharpness | Design For Focus Puller

Most professional monitor screen brightness is 350 CD/m² in order to make Vaxis 058 meet the demand of focus puller. Vaxis picked up a piece of HD IPS screen which brightness is up to 1000 CD/m², 1080P and optimized image sharpness through the parameter. Comparing to other screen, Vaxis 058 is easier for you to hit the focus point even in the outdoor.



VAXIS 058 DISPLAY SCREEN



GENERAL MONITOR DISPLAY SCREEN

VAXIS STORM 072 MONITOR



7 inch | IPS Screen | 1500nit Brightness | 1080P Full HD | 300 Meters distance | Dual battery powered | 3.5mm Audio Port

POWERFUL PERFORMANCE
300 Meters, Zero Delay



Compatible for all Vaxis Storm series transmitters



STORM 3000 DV TX



STORM 3000 TX



STORM 2000 TX



STORM 3000 DG TX



STORM 1000S TX